



महाराजा अग्रसेन अस्पताल
Maharaja Agrasen Hospital
West Punjabi Bagh, New Delhi-110026

EP/F-174



Ref. MAH/ADMN/181A/2020 361

Date - 04.06.2020

Sr. Scientific Officer,
Delhi Pollution Control Committee
Department of Environment, Govt. of NCT of Delhi,
4th & 5th Floor, ISBT, Kashmere Gate,
New Delhi-110006

16/06/2020
(ENQUIRY COUNTER)
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING
KASHMERE GATE, DELHI-110006

Sub. : Submission of Annual Bio Medical Waste Report (Form IV)

Sir/ Madam,

Please find enclosed the duly filled Annual report (Form IV) for the year of January 2019 to December 2019 for Bio Medical Waste generated at Maharaja Agrasen Hospital , Punjabi Bagh , Delhi .

Thanking You

For Maharaja Agrasen Hospital

Authorized Signatory

Encl. : Form IV

24rd Helpline No. : 011-40777744, 40777555, 40777666, 40777777 E-mail : info@mahdelhi.org Website : www.mahdelhi.org
Trust of Maharaja Agrasen Hospital Charitable Trust
do not substitute for professional medical advice, diagnosis or treatment.



Form IV
(See rule 13)

ANNUAL REPORT

(To be submitted to the prescribed authority on or before 30th June every year for the period from January 2019 to December 2019 of the preceding year, by the Occupier of Health Care Facility (HCF) or Common Bio-Medical Waste Treatment Facility(CBMWTF).


No	Particulars															
1	Particulars of the Occupier															
	(i) Name of the authorized person(occupier or operator of facility)	Dr SBS Srivastava														
	(ii) Name of the HCF or CBMWTF	Maharaja Agrasen Hospital														
	(iii) Address for Correspondence	Punjabi Bagh , West , New Delhi - 110026														
	(iv) Address of Facility	Punjabi Bagh , West , New Delhi - 110026														
	(v) tel. No, Fax. No.	011-40777777														
	(vi) E-mail ID	info@mahdelhi.org														
	(vii) Url of Website	www.mahdelhi.org/BMW%20Reports.html														
	(viii) GPS Coordinates of HCF or CBMWTF	28.6739 N , 77.1340 E														
	(ix) Ownership of the health Care Facility	Trust														
	(x) Status of Authorization under the Bio Medical Waste (Management and handling) Rules	Authorisation No : DPCC (11) / (5) (01) / 2019/BMW/NST/Auth / 1995951 Valid Upto 13/11/2024														
(xi) Status of Consents Under Water Act and Air Act	DPCC/BMW/2019/21 Valid upto : 11/12/2023															
2	Type of Health Care Facility															
	(i) Bedded Hospital	No. Of Beds : 200 400														
	(ii) Non-Bedded Hospital(Clinic/Blood bank or Laboratory or Veterinary Hospital or any other)	N.A.														
(iii) License Number and its Date of Expiry	DGHS / NH/139 Valid upto 31/3 /2020 . Renewal Applied .															
3	Details of CBMWTF															
	(i) Number Healthcare facilities covered by CBMWTF	SMS Water Grace BMW Pvt Ltd ,														
	(ii) No. of beds covered by CBMWTF	350														
	(iii) Installed treatment and disposal capacity of CBMWTF	NA														
(iv) Quantity of biomedical Waste treated or disposed by CBMWTF	NA															
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow category: 3227 Kg/ month Red category: 5808 kg/ month White: 174 kg/ month Blue category: 1427 kg/ month General Solid waste: 3600 kg/ month														
	Details of Storage, treatment, transportation, processing and Disposal Facility															
	(i) Details of the onsite storage facility	Size : Capacity 500 sq ft Provision of on-site storage: Yes (Cold storage or any other provision): NA														
	(ii) Disposal Facilities	<table border="1"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No. of Units</th> <th>Capacity kg/ day</th> <th>Quantity Treated or disposed in kg per Annum</th> </tr> </thead> <tbody> <tr> <td>Inclnators</td> <td>NA</td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td>NA</td> <td></td> <td></td> </tr> </tbody> </table>			Type of treatment Equipment	No. of Units	Capacity kg/ day	Quantity Treated or disposed in kg per Annum	Inclnators	NA			Plasma Pyrolysis	NA		
		Type of treatment Equipment	No. of Units	Capacity kg/ day	Quantity Treated or disposed in kg per Annum											
Inclnators		NA														
Plasma Pyrolysis	NA															

Signature



	Autoclaves	1	100 litres (Lab)	5424 kg per annum
	Microwave	NA		
	Hydroclave	NA		
	Shredder	NA		
	Needle tip cutter or Destroyer	NA		
	Sharp encapsulation or Concrete Pit	NA		
	Deep burial pits	NA		
	Chemical dsinfection:	NA		
	Any other treatment equipment:	NA		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red category (like plastics, glass, etc): Not Applicable (Disposed to SMS Water Grace BMW Pvt Ltd)		
(iv) No. of vehicles used for collection and transportation of Biomedical Waste	:	01 (Closed Body Vehicle for collection from Maharaja Agrasen Hospital)		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum	:		Quantity generated	Where Disposed
		Incineration ash	NA	NA
		STP Sludge	720	Horticulture
(vi) Name of the Common Bio-medical Waste Treatment Facility Operator through which waste are disposed of	:	M/s SMS Water Grace BMW Pvt Ltd, DJB, STP, Nilothi , New Delhi 110041		
(vii) List of member HCF not handed over bio medical waste	:	NA		
6 Do you have bio-medical waste Management committee ? If yes, attach minutes of the meetings held during the reporting period.	:	Yes (minutes attached)		
7 Details training conducted on BMW	:			
(i) Number of trainings conducted on Bio-Medical Waste management	:	42		
(ii) Number of personnel trained	:	565		
(iii) Number of Personnel trained at the time of induction	:	250		
(iv) Number of personnel not undergone any training so far	:	Nil		
(v) Wheher standard manual for training is available?	:	Yes		
(vi) Any other information	:	NA		
8 Details of accidents occurred during the year	:			
(i) Number of accident occurred	:	8		
(ii) Number of the person affected	:	Nil		
(iii) Remedial action taken (Pls. attach details if any)	:	Injection TT after Injury and Initiation of Hepatitis B vaccination and ART as per the standard protocol		
(iv) Any Fatality ocured details	:	Nil		
9 Are you meeting the standards of air pollution from the incinerator? How many times in last Year could not meet the standards ?	:	NA		
Details of continuous online emission monitoring systems installed	:	NA		

Handwritten signature



1. Generated and treatment methods in many times you have not met the standards in a year?	: Yes (Meeting the standards)
2. Disinfection method or sterilization meeting log 4 standards? How many times you have not met the standards in a year?	: Yes (Meeting the standards)
3. Any other relevant information	: (Air Pollution Control Devices attached with the Incinerator): Not Applicable
Certified that the above report is the period from 01 January 2019 to 31 December 2019.	
Date: 22.05.2020	Name and Signature of the Head of the Institution Dr. S.B.S.Srivastav - Joint Medical Suprintendent
Place: New Delhi	

[Handwritten signature]

[Handwritten initials]



[Handwritten signature]

[Handwritten initials]

MAHARAJA AGRASEN HOSPITAL (PAN NO.AAATM1408N)
ROAD NO.35, PUNJABI BAGH WEST 110026



Years: 2019

40000964

Month	Yellow Nos	Yellow Wt	Red Nos	Red Wt	White nos	White Wt	Blue Nos	Blue Wt	Total Nos	Total Wt
January	1048	3377.19	1478	6435.00	546	195.13	371	1512.66	3443	11519.98
February	724	2389.19	975	4510.32	325	109.87	272	1136.84	2296	8146.22
March	1008	3521.75	1350	6154.02	496	157.24	379	1518.55	3233	11351.56
April	1026	3162.40	1404	6058.95	490	169.93	382	1405.73	3302	10797.01
May	1128	3382.99	1560	6261.76	544	168.94	417	1483.74	3649	11297.43
June	861	2470.21	1169	4623.10	407	246.31	316	1090.93	2753	8430.55
July	1191	3286.22	1581	5930.64	594	180.65	441	1455.10	3807	10852.61
August	1235	3465.54	1611	6217.38	653	190.95	452	1537.95	3951	11411.82
September	1159	3324.81	1550	6045.87	552	169.76	437	1524.54	3698	11064.98
October	1102	3276.95	1502	5701.45	504	159.87	410	1369.67	3518	10507.94
November	1193	3684.15	1680	6225.31	584	180.99	462	1542.28	3919	11632.73
December	1182	3387.92	1569	5528.08	530	158.35	489	1540.70	3770	10615.05
Total	12857	38729.32	17429	69691.88	6225	2087.99	4828	17118.69	41339	127627.88